
Description



Aquatec Maxcon is the agent for Howden Blowers in Australia and New Zealand. We supply single stage centrifugal compressors both as a traditional geared unit, or the latest technology high speed, oil free, direct driven unit. The unique design of Howden blowers means turndowns of 45% can be achieved with the potential of 35% turndown avaliable in some cases without any losses in efficiency. Flows range from 1,000m³/hr up to 100,000m³/hr are avaliable with differential pressures up to 200kPa make them ideal for wastewater treatment. With over 150 blowers installed around Australia and New Zealand since 1986 and over 8000 blowers worldwide, Aquatec Maxcon has the experience and expertise required to engineer customised solutions for all aeration challenges.



Howden are the leading manufacturer of aeration blowers in the world today. Their advanced design techniques and use of modern materials and manufacturing processes result in highly efficient designs which provide sustained power savings and stable, smooth running, reliable operation.

Design

Dual Point Control

The unique Dual Point control process allows to independently regulate the flow and head of the compressor, giving superior efficiency at design and especially off design conditions. The control management system operates automatically and simultaneously with the position of the Variable Diffuser Vanes, and Inlet Guid Vanes, or VSD.

The compressor flow function is managed through the diffuser vanes, which increase or decrease the airflow path exiting the impeller wheel, allowing a step-less turndown range from 100% to as low as 35% in some cases. With almost no efficiency losses. The compressor head function is controlled by either moving the Inlet Guide Vanes, or through a VSD. The control methodology maintains the isentropic efficiency at its maximum relative value across a wider range of flow, pressure and temperature conditions.



Impeller

The core of the compressor is the impeller, which is machined from a solid forged piece of highgrade aluminium alloy and is statically and dynamically balanced.

We can provide different impeller sizes for customisation of flows and pressures to suit all our customer requirements

Control Options

Type S

Use outlet diffusers for capacity regulation from

100% to 45% without throttling.

Type V Use inlet, pre-rotating guide vanes to reduce

power consumption under conditions of

reduced pressure or inlet temperature and for

capacity control from 100% to 45%.

Type SV Uses both outlet diffusers and inlet, pre-rotating

guide vanes to eliminate excess power draw under conditions of reduced flow and reduced head...By far the most energy efficent system

on the market today.

S+VSD The latest form of dual point control replaces

the pre-rotating inlet guide vanes with

VSD...This option is equally efficent as SV with a reduction in capital cost...Suitable for smaller

units only.

Works Test

Each blower assembly is fully tested in accordance with ISO5389 to ensure that all specified duty conditions can be met. Works tests are usually made with the blower's own drive motor and can be witnessed if required.

Overlapping Flow

Overlapping in the flow ranges, because of the 45% turndown, means there are no "black holes" in flow capacity ensuring smooth and efficient aeration is provided.

Technical

Capacities

Flow Rate	100,000 Nm3/hr	100,000 Nm3/hr
Differential Pressure	45kPa	200kPa
Flow Turndown	35%	100%

Accessories

Customised accessories available as optional extras.

These include:

- · Client's choice of PLC
- · Actuated isolation valve
- Oil heater
- Fan forced oil cooler
- Water-to-oil heat exchanger
- Vibration monitoring
- and more.

Applications

We can customise the design parameters for a range of pressures and flow rates for any aeration system.

We provide solutions to all industries, including:

- Municipal Sewage
- Industrial Wastewater
- Fermentation
- Yeast Production
- Enzyme Production

• Various Mining Applications

Services

We are avaliable for planned and unplanned maintenance, troubleshooting and service work.

We also supply genuine spare parts.